

TEST REPORT

APPLICANT : **MARKETING CREATION**

ADDRESS : 1 VIA AURELIA, 13100 LE THOLONET FRANCE

SAMPLE DESCRIPTION : MINI BASKETBALL

STYLE / ITEM NO. : MC-WF-080316

SUPPLIER : N/A

BUYER : MARKETING CREATION SAS

COUNTRY OF ORIGIN : CHINA

COUNTRY OF DESTINATION : N/A

AGE REQUESTED ON APPLICATION FORM : NOT PRESENT

LABELED AGE GRADE : 1 YEARS OLD

AGE GRADE APPLIED IN TESTING : OVER 12 MONTHS

SAMPLE RECEIVED DATE : FEB. 29, 2016

TEST PERIOD : FEB. 29, 2016 TO MAR. 09, 2016

RESULT SUMMARY : PLEASE REFER TO NEXT PAGE.

*****FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S)*****

SIGNED FOR AND ON BEHALF OF
EUROFINS TESTING TECHNOLOGY (SHENZHEN) CO. LTD.



Jamie Zhang
Toys Testing Engineer Leader



Harry Chen
Assistant Lab Manager



Coco Luo
Assistant Lab Manager



This test report is valid for the tested samples only. Without permission of the test center this test report is not permitted to be duplicated in extracts.
This test report does not entitle to carry any safety mark on this or similar products.

RESULT SUMMARY:

| TEST(S) REQUESTED BY APPLICANT: | RESULT |
|--|---------------|
| - EN 71 – 1: 2014 Mechanical and physical properties | PASS |
| - EN 71 – 2: 2011 + A1: 2014 Flammability | PASS |
| - EN 71 – 3: 2013 + A1: 2014 Migration of Certain Elements | PASS |
| - Total Cadmium Content according to Entry 23 of Annex XVII to Regulation (EC) No 1907/2006 and its amendments Regulation (EC) No 552/2009, (EU) No 494/2011, (EU) No 835/2012 and (EU) No 2016/217. | PASS |
| - Phthalates according to Entry 51 and 52 of Regulation (EC) No 552/2009 amending Annex XVII of REACH Regulation (EC) No 1907/2006 (previously restricted under Directive 2005/84/EC). | PASS |
| - Polycyclic Aromatic Hydrocarbons (PAHs) according to the Entry 50 of Annex XVII to REACH Regulation (EC) No 1907/2006, and its amendment Regulation (EU) No 1272/2013. | PASS |

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co. Ltd.4/F, Building# 3, Runheng Dingfeng Industrial Park, No.1 Liuxian 3rd Road, Bao'an District, Shenzhen, P.R. China
Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

EN 71 – 1: 2014 Safety of Toys - Mechanical and physical properties

| Clause | Requirement | Result |
|----------|--|--------|
| 4 | General requirements | |
| 4.1 | Material cleanliness | P |
| 4.2 | Assembly | N/A |
| 4.3 | Flexible plastic sheeting | N/A |
| 4.4 | Toy bags | N/A |
| 4.5 | Glass | N/A |
| 4.6 | Expanding materials | N/A |
| 4.7 | Edges | P |
| 4.8 | Points and metallic wires | P |
| 4.9 | Protruding parts | N/A |
| 4.10.1 | Folding and sliding mechanisms | N/A |
| 4.10.2 | Driving mechanisms | N/A |
| 4.10.3 | Hinges | N/A |
| 4.10.4 | Springs | N/A |
| 4.11 | Mouth-actuated toys and other toys intended to be put in the mouth | N/A |
| 4.12 | Balloons | N/A |
| 4.13 | Cords of toy kites and other flying toys | N/A |
| 4.14.1 | Toys which a child can enter | N/A |
| 4.14.2 | Masks and helmets | N/A |
| 4.15.1 | Toys propelled by a child or by other means | N/A |
| 4.15.2 | Toy bicycles | N/A |
| 4.15.3 | Rocking horses and similar toys | N/A |
| 4.15.4 | Toys not propelled by a child | N/A |
| 4.15.5 | Toy scooters | N/A |

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co. Ltd.

4/F, Building# 3, Runheng Dingfeng Industrial Park, No.1 Liuxian 3rd Road, Bao'an District, Shenzhen, P.R. China
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

| Clause | Requirement | Result |
|----------|--|--------|
| 4.16 | Heavy immobile toys | N/A |
| 4.17.1 | Projectiles general | N/A |
| 4.17.2 | Projectile toys without stored energy | N/A |
| 4.17.3 | Projectile toys with stored energy | N/A |
| 4.17.4 | Bows and arrows | N/A |
| 4.18 | Aquatic toys and inflatable toys | N/A |
| 4.19 | Percussion caps specifically designed for use in toys and toys using percussion caps | N/A |
| 4.20 | Acoustics | N/A |
| 4.21 | Toys containing a non-electrical heat source | N/A |
| 4.22 | Small balls | N/A |
| 4.23.1 | Magnets general | N/A |
| 4.23.2 | Toys other than magnetic/electrical experimental sets intended for children over 8 years | N/A |
| 4.23.3 | Magnetic/electrical experimental sets intended for children over 8 years | N/A |
| 4.24 | Yo-yo balls | N/A |
| 4.25 | Toys attached to food | N/A |
| 5 | Toy intended for children under 36 months | |
| 5.1 | General requirements | P |
| 5.2 | Soft-filled toys and soft-filled parts of a toy | N/A |
| 5.3 | Plastic sheeting | N/A |
| 5.4 | Cords, chains and electrical cables in toys | N/A |
| 5.5 | Liquid-filled toys | N/A |
| 5.6 | Speed limitation of electrically-driven ride-on toys | N/A |
| 5.7 | Glass and porcelain | N/A |
| 5.8 | Shape and size of certain toys | N/A |

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co. Ltd.

4/F, Building# 3, Runheng Dingfeng Industrial Park, No.1 Liuxian 3rd Road, Bao'an District, Shenzhen, P.R. China
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

| Clause | Requirement | Result |
|----------|--|--------|
| 5.9 | Toys comprising monofilament fibres | N/A |
| 5.10 | Small balls | P |
| 5.11 | Play figures | N/A |
| 5.12 | Hemispheric-shaped toys | N/A |
| 5.13 | Suction cups | N/A |
| 5.14 | Straps intended to be worn fully or partially around the neck | N/A |
| 6 | Packaging | N/A |
| 7 | Warnings, markings and instructions for use (Note: It is drawn to your attention that the warnings, precautions and instructions for use should be given in the national language(s) of the country where the product is sold. Only English was reviewed) | |
| 7.1 | General | P |
| 7.2 | Toys not intended for children under 36 months | N/A |
| 7.3 | Latex balloons | N/A |
| 7.4 | Aquatic toys | N/A |
| 7.5 | Functional toys | N/A |
| 7.6 | Hazardous sharp functional edges and points | N/A |
| 7.7.1 | Toys with projectiles which are able to discharge an object other than that provided with the toy | N/A |
| 7.7.2 | Toys capable of discharging a projectile with a kinetic energy greater than 0.08 J | N/A |
| 7.8 | Imitation protective masks and helmets | N/A |
| 7.9 | Toy kites | N/A |
| 7.10.1 | Roller skates, inline skates and skateboards | N/A |
| 7.10.2 | Ride-on toys without a braking device | N/A |
| 7.10.3 | Electrically-driven ride-on toys | N/A |
| 7.10.4 | Instructions for use | N/A |
| 7.11 | Toys intended to be attached to or strung across a cradle, cot, or perambulator | N/A |

TO BE CONTINUED

| Clause | Requirement | Result |
|--------|---|--------|
| 7.12 | Liquid-filled teethers | N/A |
| 7.13 | Percussion caps specifically designed for use in toys | N/A |
| 7.14 | Acoustics | N/A |
| 7.15 | Toy bicycles | N/A |
| 7.16 | Toys intended to bear the mass of a child | N/A |
| 7.17 | Toys comprising monofilament fibres | N/A |
| 7.18 | Toy Scooters | N/A |
| 7.19 | Rocking horses and similar toys | N/A |
| 7.20 | Magnetic/electrical experimental sets | N/A |
| 7.21 | Toys with electrical cables exceeding 300 mm in length | N/A |
| 7.22 | Toys with cords or chains intended for children of 18 months and over but under 36 months | N/A |

Note: P = Pass N/A = Not Applicable

The Toys Safety Directive 2009/48/EC contains marking and labeling requirements with respect to CE marking, importer's & manufacturer's name and address, product identification and washing instruction of the toy. These are not part of the EN 71 requirements but are legally required:

| Markings and information required by Directive 2009/48/EC | | Location | Result |
|---|---------------------------------|-----------|----------------|
| 1 | CE mark | Packaging | Present |
| 2 | Importer's name and address | Packaging | Present |
| | Manufacturer's name and address | Packaging | Present |
| 3 | Product identification | Packaging | Present |
| 4 | Washing/Cleaning instruction | / | Not Applicable |

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co. Ltd.

4/F, Building# 3, Runheng Dingfeng Industrial Park, No.1 Liuxian 3rd Road, Bao'an District, Shenzhen, P.R. China
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

EN 71 - 2: 2011 + A1: 2014 Safety of Toys – Flammability

| Clause | Requirement | Result |
|----------|---|--------|
| 4 | Requirements | |
| 4.1 | General requirements | P |
| 4.2 | Toys to be worn on the head | |
| 4.2.2 | Beards, moustaches, wigs etc., made from hair, pile or material with similar features(e.g. free hanging ribbons, paper, cloth strands or other flowing elements), which protrude 50 mm or more from the surface of the toy | N/A |
| 4.2.3 | Beards, moustaches, wigs etc., made from hair, pile or material with similar features(e.g. free hanging ribbons, paper, cloth strands or other flowing elements), which protrude less than 50 mm from the surface of the toy | N/A |
| 4.2.4 | Full or partial moulded head masks | N/A |
| 4.2.5 | Flowing elements of toys to be worn on the head(except those covered by 4.2.2 and 4.2.3), hoods, head-dresses etc. and masks not covered by 4.2.4 which partially or fully cover the head(e.g. fabric and cardboard masks, eye masks, face masks), but excluding those items covered by 4.3 | N/A |
| 4.3 | Toy disguise costumes and toys intended to be worn by a child in play | N/A |
| 4.4 | Toys intended to be entered by a child | N/A |
| 4.5 | Soft-filled toys | N/A |

Note: P = Pass N/A = Not Applicable

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co. Ltd.

4/F, Building# 3, Runheng Dingfeng Industrial Park, No.1 Liuxian 3rd Road, Bao'an District, Shenzhen, P.R. China
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

Material list

| Testing material No. | Component | Material | Colour |
|----------------------|-------------------------|----------|--------------------|
| 1a | Coating on ball | Coating | Black |
| 1b | Ball | Plastic | Yellow |
| 2 | Valve | Plastic | Transparent yellow |
| 3 | Plastic inside of valve | Plastic | Beige |

EN 71-3:2013 + A1: 2014 - Migration of Certain Elements

Test method : With reference to EN 71-3: Migration of certain elements.
 General Elements analysis was performed by ICP-MS.
 Soluble Chromium(VI) analysis was performed by HPLC-ICP-MS.
 Soluble Organic Tin analysis was performed by GC-MS.

| Element | Limit(mg/kg) Category III | MDL (mg/kg) | Material Test Result (mg/kg) | | |
|-------------------------------|------------------------------|----------------|------------------------------|-----------------|-----------------|
| | | | 1a(*) (79.0mg) | 1b | 2 |
| Soluble Aluminium (Al) | 70000 | 10 | 49 | N.D. | N.D. |
| Soluble Antimony (Sb) | 560 | 10 | N.D. | N.D. | N.D. |
| Soluble Arsenic (As) | 47 | 10 | N.D. | N.D. | N.D. |
| Soluble Barium (Ba) | 18750 | 10 | N.D. | N.D. | N.D. |
| Soluble Boron (B) | 15000 | 10 | N.D. | N.D. | N.D. |
| Soluble Cadmium (Cd) | 17 | 10 | N.D. | N.D. | N.D. |
| Soluble Chromium III (Cr III) | 460 | 5 | N.D. | N.D. | N.D. |
| Soluble Chromium VI (Cr VI) | 0.2 | 0.2 | N.D. | N.D. | N.D. |
| Soluble Cobalt (Co) | 130 | 10 | N.D. | N.D. | N.D. |
| Soluble Copper(Cu) | 7700 | 10 | N.D. | N.D. | N.D. |
| Soluble Lead (Pb) | 160 | 10 | N.D. | N.D. | N.D. |
| Soluble Manganese (Mn) | 15000 | 10 | N.D. | N.D. | N.D. |
| Soluble Mercury (Hg) | 94 | 10 | N.D. | N.D. | N.D. |
| Soluble Nickel (Ni) | 930 | 10 | N.D. | N.D. | N.D. |
| Soluble Selenium (Se) | 460 | 10 | N.D. | N.D. | N.D. |
| Soluble Strontium (Sr) | 56000 | 10 | N.D. | N.D. | N.D. |
| Soluble Tin (Sn) | 180000 | 4.9 | N.D. | N.D. | N.D. |
| Soluble Organic Tin | 12 | 0.1 | -- [^] | -- [^] | -- [^] |
| Soluble Zinc (Zn) | 46000 | 10 | 91 | N.D. | N.D. |

Note: - 1 mg/kg = 1 ppm = 0.0001%

- N.D. = Not Detected

- MDL = Method Detection Limit

- Unless specified, determination of Chromium (III) and Chromium (VI) was based on elemental analysis.

- The reported soluble organic tin value was calculated by summation of the migration values of Methyl tin, Butyl tin, Dibutyl tin, Tributyl tin, Tetrabutyl tin, Monoctyl tin, Dioctyl tin, Dipropyl tin, Diphenyl tin and Triphenyl tin.

- [^] Confirmation test of soluble organic tin is not required in case of soluble tin, after conversion, does not exceed the soluble organic tin requirement as specified in EN71-3: 2013 + A1: 2014.

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co. Ltd.

4/F, Building# 3, Runheng Dingfeng Industrial Park, No.1 Liuxian 3rd Road, Bao'an District, Shenzhen, P.R. China
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

Remark:

. The weight of sample marked () available was less than 100mg, but greater than 10mg, so result was calculated as if 100mg of the sample was available.

Total Cadmium Content

Test method : EPA 3052: 1996, EPA 6010D: 2014.

Detection limit : 10 mg/kg

Limit : See below - according to Entry 23 of Annex XVII to Regulation (EC) No 1907/2006 and its amendments Regulation (EC) No 552/2009, (EU) No 494/2011, (EU) No 835/2012 and (EU) No 2016/217.

| Material(s) | Limit (mg/kg) |
|--|----------------------|
| - Paints (wet state); - Plastics; - Brazing fillers; - Metal parts in jewelry; | 100 |
| - Paints on a painted article; - Paints with zinc content exceeding 10% by weight of the paint; - Recovered PVC used in article marked with "Contains recovered PVC" or with the designated pictogram. | 1000 |

| Test No. | Material No. | Test result (mg/kg) |
|-----------------|---------------------|----------------------------|
| Cd-1 | 1(a+b)+2+3 | N.D. |

Note: - 1 mg/kg = 1 ppm = 0.0001%

- N.D. = Not Detected

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co. Ltd.

 4/F, Building# 3, Runheng Dingfeng Industrial Park, No.1 Liuxian 3rd Road, Bao'an District, Shenzhen, P.R. China
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

Phthalates

Test method : CPSIA Sec.108, CPSC-CH-C1001-09.3.

Limit : See below - according to Entry 51 and 52 of Regulation (EC) No 552/2009 amending Annex XVII of REACH Regulation (EC) No 1907/2006 (previously restricted under Directive 2005/84/EC).

Detection limit : 0.005% per substance

A: For toys and childcare articles:

| Test No. | | | Phthalates-1 |
|------------------------------|----------|------|--------------|
| Material No. | | | 1(a+b)+2+3 |
| Parameter | CAS No. | Unit | Test result |
| Dibutylphthalate (DBP) | 84-74-2 | % | N.D. |
| Benzylbutylphthalate (BBP) | 85-68-7 | % | N.D. |
| Diethylhexylphthalate (DEHP) | 117-81-7 | % | N.D. |
| Sum (DBP + BBP + DEHP) | -- | % | N.D. |
| Limit (sum) | -- | % | 0.1 |

B: Additional requirements for toys and childcare articles, which can be placed in the mouth by children:

| Test No. | | | Phthalates-1 |
|----------------------------|------------|------|--------------|
| Material No. | | | 1(a+b)+2+3 |
| Parameter | CAS No. | Unit | Test result |
| Di-n-octylphthalate (DNOP) | 117-84-0 | % | N.D. |
| Diisodecylphthalate (DIDP) | 26761-40-0 | % | N.D. |
| Diisononylphthalate (DINP) | 28553-12-0 | % | N.D. |
| Sum (DNOP+ DIDP+ DINP) | -- | % | N.D. |
| Limit (sum) | -- | % | 0.1 |

Note: - 1 mg/kg = 1 ppm = 0.0001%

- N.D. = Not Detected

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co. Ltd.

 4/F, Building# 3, Runheng Dingfeng Industrial Park, No.1 Liuxian 3rd Road, Bao'an District, Shenzhen, P.R. China
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

Polycyclic Aromatic Hydrocarbons (PAHs)

- Test method : Solvent extraction and quantification by gas chromatography-mass selective detection (GC-MS) with respect to AfPS GS 2014:01 PAK (PAK=PAHs) requirement
- Detection limit : 0.20 mg/kg per each PAH.
- Requirement : According to the Entry 50 of Annex XVII to REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013.

| Parameter | Category 1 | Category 2 |
|------------------------------|---|--|
| | Rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use in general public article | Rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use in toys, including activity toys, and childcare articles |
| Benzo[a]pyrene (BaP) (mg/kg) | 1 | 0.5 |
| Each of other PAHs (mg/kg) | 1 | 0.5 |
| Sum of 8 PAHs (mg/kg) | - | - |

| Test No. | PAHs-1 | | |
|-------------------------------|----------|-------|------------|
| Material No. | 1(a+b)+2 | | |
| Parameter | CAS No. | Unit | Category 2 |
| Benzo[a]pyrene (BaP) | 50-32-8 | mg/kg | N.D. |
| Benzo[e]pyrene (BeP) | 192-97-2 | mg/kg | N.D. |
| Benzo[a]anthracene (BaA) | 56-55-3 | mg/kg | N.D. |
| Benzo[b]fluoranthene (BbFA) | 205-99-2 | mg/kg | N.D. |
| Benzo(j)fluoranthene (BjFA) | 205-82-3 | mg/kg | N.D. |
| Benzo[k]fluoranthene (BkFA) | 207-08-9 | mg/kg | N.D. |
| Chrysene (CHR) | 218-01-9 | mg/kg | N.D. |
| Dibenz[a,h]anthracene (DBAhA) | 53-70-3 | mg/kg | N.D. |
| Sum of PAHs | - | mg/kg | N.D. |

Note: - 1 mg/kg = 1 ppm = 0.0001%
 - N.D. = Not Detected


Other Information / Remark:

N/A

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co. Ltd.

4/F, Building# 3, Runheng Dingfeng Industrial Park, No.1 Liuxian 3rd Road, Bao'an District, Shenzhen, P.R. China
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

Photo Attachment**MINI BASKETBALL**

END OF THE REPORT